

## Danish Trios 2018



Tank Configuration	16.165 mL Reverse Oil Tot ALT Tank A Conditi		Volume Oil Total	27.01 r
START STOP LOADS MICS SPEED	ALT Tank A Conditi			2/10/11
		oner Prodigy	Tank B Conditioner	Prodi
4 30 30 4 40 1		T.OIL 5920		
1 2L 2R 4 40 14 2 2L 2R 3 40 18				
3 7L 7R 1 40 18				
4 8L 8R 1 45 18			20 15 10 2	2 10 2
5 9L 9R 2 45 18	3 46 18.5 23.6 5.1	2070		
6 11L 11R 1 45 18				
7 13L 13R 1 45 18				
8 2L 2R 0 45 18 9 2L 2R 0 45 22				
9 ZL ZK 0 45 ZZ	2 5 0 55.0 40.0 7.0	U I		
START STOP LOADS MICS SPEED		T.OIL		
1 2L 2R 0 50 22				
2 12L 12R 1 50 22 3 10L 10R 1 50 22				
4 8L 8R 2 50 18				
5 6L 6R 1 50 18				
6 2L 2R 3 45 18	3 3 111 16.2 8.6 -7.6	4995		
7 2L 2R 0 50 18	3 3 0 8.6 0.0 -8.6	0		
Cleaner Ratio Main Mix	5:1 Forwa	ard		
Cleaner Ratio Back End Mix	5:1 Rever			•••••••••••••••••••••••••••••••••••••••
Cleaner Ratio Back End Dista		binea		
Buffer RPM: 4 = 720   3 = 50	00   2 = 200   1 = 60			<b>╶╶╴╴</b> ╴

Item	3L-7L:18L-18R	8L-12L:18L-18R	13L-17L:18L-18R	18L-18R:17R-13R	18L-18R:12R-8R	18L-18R:7R-3R
Description	Outside Track:Middle	Middle Track:Middle	Inside Track:Middle	MIddle: Inside Track	Middle:Middle Track	Middle:Outside Track
Frack Zone Ratio	2.1	1.19	1	1	1.19	2.1
1500 1350 1200 1050 900 750 600 450 300 0 0						
1 2	3 4 5 6 7 8 9	10 11 12 13 14 15	16 17 18 19 20 19	18 17 16 15 14 13 12	1 1 1 1 1 1 1	5 4 3 2 1